

HZM



HZM 825 FRONT END LOADER

HZM

825
FRONT
END
LOADER





SPECIFICATIONS

MODEL	Changchai 4G33TCR
TYPE	Direct injection, Water cooled
CYLINDERS	Diesel 4-Cylinder Engine
PEAK POWER	70 kW (94HP) @ 2400 rpm
FUEL TANK CAPACITY	60 Litres
TYPE	4WD, Full Powershift, Countershaft
GEARS FORWARD/REVERSE	2 Forward/2 Reverse
TRAVEL SPEED	24 km/h
GEARBOX TYPE	Fixed-spindle power shift
OPERATION WEIGHT	5400 kg
RATED LOAD	2500 kg
BUCKET CAPACITY	1.2 m ³
BREAKOUT FORCE	70 kN
MIN. TURNING RADIUS	4300 mm
MAX. WORKING HEIGHT	3820 mm
MAX. DUMPING HEIGHT	3600 mm
MAX. DUMPING DISTANCE	950 mm
MAX. DUMPING ANGLE	40-45 degrees
MAX. TRACTIVE FORCE	63 Nm
SYSTEM PRESSURE	16 Mpa
HYDRAULIC FLOW RATE	115 L/min
OVERALL LENGTH	6000mm
OVERALL WIDTH	2100mm
OVERALL HEIGHT	2580mm
WHEEL TRACK	1050mm
WHEEL BASE	1460mm
BUCKET WIDTH	2100mm
GROUND CLEARANCE	450mm



KEY FEATURES



SMALL STEERING ANGLE



LOW HEIGHT



REAR POWER LINK



ADJUSTABLE TRAILER



SILICONE OIL SHOCK ABSORB



ELECTRICAL SHIFTER



NEW STEERING WHEEL



NEW LIGHT CONTROL



QUICK HITCH (STANDARD SIZE)



ROPS CABIN



EUROPEAN COVER



NEW JOYSTICK BOX