

**HZM**



# HZM 812 FRONT END LOADER

**HZM**

**812**





# SPECIFICATIONS

Specification	Overall weight(KG)	3500
	L×W×H (MM)	4600 x 1760 x 2400
	Rated bucket capacity(M <sup>3</sup> )	0.6-0.9
	Rated load(KG)	1200 (1300)
	Wheel base(MM)	1360
	Thread(MM)	2200
	Max. dump height (MM)	1950
	Dump distance(MM)	485
	Bucket indicator	Yes
Engine	Model	CHANGCHAI ZN490Q
	Rated power(KW)	39
	Rated speed(R/MIN)	2400
	Type	Direct injection, Horizontal, Water-cooled, Three stroke
	Engine starting mode	Electric
Brake mode	VACUUM BOOSTER	
Steering system	Type	Articulated and hydraulic steering
	Min turning radius(MM)	3800
	Min. ground clearance(MM)	360
Tires	Standard tires	20.5/70-16





## KEY FEATURES



**OPERATE SPACE**



**ADJUSTABLE STEERING WHEEL**



**FOUR WAY JOYSTICK**



**SKYLIGHT**



**FUEL CABIN HEATER**



**PRESSURE CHECK POINTS**



**CAR FLOOR COVER**



**TILTING FRP ENGINE COVER**



**ROPS & FOPS CABIN**



**NEW COUNTER WEIGHT**



**VACUUM BOOSTER BRAKE**



**ISUZU AXLE**